

**Physical Address:**

CRANE Instrumentation & Sampling  
 405 Centura CT,  
 Spartanburg, SC 29303-6603  
 Phone: (864) 574-7966  
 Fax: (864) 587-5608  
 Email: [Click Here](#)

**Mailing Address:**

HOKE  
 PO Box 4866,  
 Spartanburg, SC 29305-4866


## Item # 7115H4B, Flomite 7115 & 7155 Series PCTFE Seats-Viton Washers

### 2-way Integral Panel Mount Ball Valves

Used for quick on-off service with a visual indication of flow, HOKE's 2-way ball valves offer orifice sizes up to 0.25" (6.4mm). Flomite valves feature a floating ball design, encapsulated replaceable seats and check seals to ensure leak-tight service and extended service life.

### Typical Applications

- Instrument panels
- High pressure instrument lines
- Gas sampling in pilot plants
- Full flow and shutoff in chromatographs
- Hydraulic test stands
- Gas sampling



[+ more](#)

### Specifications

<b>Connections - Inlet</b>	1/4" NPT Male
<b>Connections - Outlet</b>	1/4" Gyrolok
<b>Body Material</b>	Brass
<b>Operating Pressure Range</b>	3000 psig at 70° F (207 bar at 21° C)

<b>Operating Temperature Range</b>	0 to +300 °F -18 to +149 °C
<b>Orifice</b>	0.187 in 4.70 mm
<b>Cv</b>	0.80
<b>C</b>	1.75 in 45 mm
<b>E</b>	2 7/8 in 73 mm
<b>H</b>	1/2 in 13 mm
<b>H1</b>	7/16 in 11 mm
<b>Panel Hole</b>	49/64 in 19 mm
<b>Panel Thickness</b>	1/4 in 6.0 mm
<b>Features &amp; Benefits</b>	<p>Quarter turn handle provides a visual indication of on/off valve position, improving safety.</p> <p>Dual encapsulated TFE seats and microfinished ball ensure a leak tight seal. This combination provides greater valve reliability.</p> <p>Dyna-Pak packing provides a leak-tight seal with low operating torque in vacuum or high pressure applications, helping to prevent fugitive emissions.</p> <p>Floating ball provides pressure-assisted sealing and temperature wear compensation for longer valve cycle life and greater value.</p> <p>A wide variety of Hoke Gyrolok end fittings or pipe fittings provide the correct fitting option for the application.</p> <p>Special High Tolerance NPT Thread</p>